



The Mizoram Gazette

EXTRA ORDINARY

Published by Authority

M.R.—N E/957/98

Vol. XXIX, Aizawl, Monday, 5. 6. 2000, Jyaistha 16, S.E. 1922, Issue No. 168

N O T

No.J. 12011/55/92-REV, the 16th May, 2000. In supercession of this Department's Notification No.LRR-91/73-74/45-46, dt. 19.8.76 and in exercise of the powers conferred by section 15 of the Mizo District (Land and Revenue) Act, 1956 and as amended under the Mizo District (Land and Revenue) (Amendment) Act, 1976 (Mizoram Act No.5 of 1976), the Governor of Mizoram is pleased to approve extension of Kolasib town area covering Thingdawl.

This
administrative Revenue Department.

of

C. Rokhama,
Commr/Secretary to the Govt. of Mizoram,
Revenue Department.

ANNEXURE - 'D'

CLASSIFICATION OF LAND WITHIN SIB.

I - GRADE : Both sides of the main road/street within the perimeter of 30.48 horizontally from the edge of the road/street to those sites having frontage/return frontage of the side of the road/street, which are :-

1) From Pilar No.14 fixed at the road junction of NH-54 and ICAR complex road just South West of Kumtluang Rub (House) at Diakkawn South to pillar No.9 fixed by the side of Big Banyan tree, just in front of R.H. at Diakkawn Bazar via pillar No. 13, 12 and along NH-54.

2) From Pillar No.13 fixed at the road junction of NH-54 and C.P. road upto pillar No.11 fixed at the road junction with C.P. road and NH-54 in front of Pu Lachhuana's house.

3) From pillar No.9 as mentioned above to following NH-54 North West upto pillar No.10 fixed by the side of Risky Motor workshop to the North of Rest House.

4) From pillar No.9 as mentioned in Sl. No. 2 above at Diakkawn following Hmar veng main road upto pillar No.1 fixed to the North East corner of Hmar veng Play Ground, just by the side of Shri Thangliana's house at Hmar veng via pillar No.6,5,4, 3&2.

5) From pillar No.6 fixed at the road junction of Thirhrui ban kawn following Salem veng road upto Nursery School Building.

6) From pillar No.6 as mentioned above following Project veng road upto pillar No. 8 fixed at the entrance gate of Kolasib High School via pillar No.7.

7) From pillar No.7 fixed at the road junction, just by the side of Shri Saiengliana's house at Park-kawn following Leitan road upto the road junction with Hmar veng road, nearby the house of Lalthianghlina.

II-GRADE : Both sides of the main road/street within the perimeter of 30.48m/ 100 ft. horizontally from the edge of the road/street to these sites having frontage/return frontage to the side of the road/street, which are :-

1) From pillar No.1 as mentioned in Sl.No.1 (4) to northwards upto road junction where Saidan Thirhrui ban kawn road and Hmar veng road meet and the following upto pillar No.6 as mentioned in Sl.No. 1(5).

2) From pillar No. 2 fixed nearby the house of Smt. Nussni (Lalthantluangi) at the road junction at Hmar veng following down road to eastwards and leading to Power House upto the same road meet Saidan Thirhrui Ban road.

3) From Pillar No. 3 fixed in front of Salvation Army Temple at Hmar veng surrounding P.W.D. Office Complex upto pillar No. 4 fixed by the side of Culvert nearby Shri Radha Jaisi's house at Bangla kawn.

4) From Pillar No. 4 as mention above, (Sl. No. 3) following Tumpui road upto the road junction of Hmar veng road and Tumpui road, just in front of I.B Gate.

5) From pillar No. 5 fixed nearby the house of Saithuama at Bangla kawn following down road leading to power house upto the junction with Saidan Thirhrui Ban road.

6) From road junction of Hmar veng road and one road encircling the western side of Civil Hospital at Bangla kawn, just North of Civil Hospital Compound to southwards upto pillar No. 7 fixed Park kawn.

- 7) From road junction of Hmar veng road and approach road of St. John's High School to westwards upto the place where it meet Bangla kawn Park kawn road.
- 8) From pillar No. 8 at Project veng upto Civil Supply Godown at Project veng.
- 9) Starting from road junction between pillar No. 3 & 9 following Lungpber road southwards upto Shri Saidanga and Shri Lalliana's compound.
- 10) From pillar No. 12 along NH-54 at Dikkawn to westwards upto road junction of C.P. road nearby seven brothers's building and Forest Range Office.
- 11) From pillar No. 14 as mention in St. No. 1 (1 at Diakkawn south following KVK road to southwards upto Pu Sappawia's house,
- 2) All lands on both sides of NH-54 which are not including in the 1st Grade within the specified town area of Kolasib.

III — GRADE, : Both sides of motorable/jeepable road/ Street within the perimeter of 30.48m/100ft horizontally from the edge of the road/street to those sides having frontage/return-frontage to the side of the road/street which are :—

All lands along the motorable/jeepable roads/ streets which are not included in the I & II Grades within the specified town area of Kolasib are classed under these Grades.

IV — GRADE : All lands which are not included in the I & II Grades within the specified town area of Kolasib are under this Grades.

NOTES : 1. All Govt. residential areas for V.I.P. under the Govt. of Mizoram /Central are classed under the 1st Grade.

2. If any two or more Grade are overlapped/met at any particular place the highest Grade are over lapped/met at any particular place the highest grade shall be used.

3. If any parcel of land which fall within the I, II & III Grade but having no frontage/return-frontage to the side of the road/street the land shall be classed to the next lower Grade Viz. 1st Grade into II Grade etc.

C. Rokhama,
Comamr/Secretary to the Govt. of Mizoram,
Revenue Department.

BOUNDARY DESCRIPTION OF KOLASIB SUB-TOWN

AREA = 24812500 Sqm.
2481.25 Ha.
24.81 Sq.Km.

STARTING POINT : A ram hmar chhak kil, NH. No. 54 atanga khawchhak lam 150m (H) a hla leh Rengte tlang chhim lam 400m (H) a hla Rengte Lui Ziding kawhzawn ah B.P. No. 1-na phun a ni a, teh tan nan hman nghal a ni. He pillar hi 92inch. 41'47inch longitude leh 24inch 15'16inch latitude a awm a ni.

HMAR LAM : B.P. No. 1 na atang hian ramri chu khawthlang hawiin NH. No. 54 tan tlangin Rengte Lui fintu kawrte zuiin a chhuk a, kawrte leh Rengte lui infinna ah B.P. No. 2 na phun a ni. He pillar hi 92degree 41ft. 21inch long leh 24deg. 15ft 11inch lat. a ni. B.P. No. 2 atang hian ramri chu Hmarthlang hawiin Rengte lui chu a zawh chhuk zel a, 92deg. 41ft 16inch long. leh 24deg. 15ft. 21inch lat. ah B.P. No. 3 na phun a ni. B.P. No. 3 na atang hian ramri chu chhim thlang lam hawiin mualdung tan tlangin a phei a. Rengte kawr ta Bajrabi Truck road sir chiah leh Rengtelui fintu kawrte hnar ah B.P. No. 4 na phun a ni a. He pillar 92deg. 40ft. 42inch long. leh 24deg. 15ft. 11inch lat. leh Saidan tlang atanga hmar lam 1/2 Km veleh phun a ni.

KHAWTHLANG LAM : Pillar No. 4 na atang hian ramri chu chhim thlang hawiin Saidan tlang kham ko zelah a phei a, 92deg. 40ft. 30inch long. leh 24deg 14ft. 2 inch lat. ah Pillar No. 5 na phun a ni. Pillar No. 5 na atang hian ramri chu chhimthlang hawiin a kal zel a, Sakawr zin kawng a bungkawng chiah Tumpui Veng hnuai 92deg. 40ft. 14inch long. leh 24deg 13ft. 59inch lat. ah Pillar No. 6 na phun a ni. Pillar No 6 na atang hian ramri chu chhim lam hawiin mangkawnglui tan tlangin a kal a, 92deg. 40ft. 07inch long. leh 24deg. 13ft. 19inch lat. Project venghnuai ah Pillar No 7 na phun a ni. Pillar No. 7na atang hian ramri chu chhimchhak hret hawiin Tuilut lui tan tlangin a phei a, Tuilut lui chhim lam hret leh Diakkawn atanga kawng rawn kal leitan atanga khawthlang chiah 92deg. 40ft. 13inch long. leh 24deg. 12ft. 30inch lat.-ah Pillar No. 8-na phun a ni. Pillar No. 8-na atangin ramri chu chhim chhak hawiin a kal a, Lungdawh lui leh kawrte ziding lian ber infinna-ah Pillar No. 9-na phun a ni. He Pillar 92deg. 40ft. 47inch long. leh 24deg. 11ft. 45inch lat. ani. Pillar No. 9-na atangin ramri chu chhim chhak hawiin Lungdawh lui fintu kawr zawh chho zelin N. H.-54 bul 92deg. 41ft. 37inch long. leh 24deg. 11ft. 36inch lat, ah Pillar No. 10-na phun a ni. Pillar No. 10-na atang hian ramri chu chhim lamah phun a ni. NH No. 54 hrul zelah a kal a, 92deg. 41ft. 51inch long leh 24deg. 11inch 01inch lat. ah Pillar No. 11-na phun a ni. Pillar No.11-na atang hian ramri chu khawthlang hawiin a kal a, Thingdawl dathnai lui hnar kin chiah kham ko bul 92deg. 41ft. 35inch long. leh 24deg. 11ft. 01inch. lat. ah Pillar No. 12-na phun a ni. Pillar No. 12-na atang hian ramri chu chhim thlang hawiin a kal a, Thingdawl tui hnar lui fi kawr kil mawntawz zawi leh 92deg. 41ft. 30inch. long. leh 24deg. 19ft. 52inch lat.-ah Pillar No. 13-na phun a ni. Pillar No. 13-na atang hian ramri chu chhim chhak hawiin a kal a, Middle School lui bul NH No. 54 atanga khawthlang lam 170m vela hla leh 92deg. 41ft. 44inch long. leh 24deg. 10ft. 29inch lat. ah Pillar No. 14-na phun a ni. Pillar No. 14-na atang hian ramri chu chhim lamah Pu Malsawma leh P. Lianhleia-te incina kawr High School tlang hnuai a kal tlangin Vety. Quarter hmar thlang lam 92deg. 41ft. 43inch long. leh 24deg. 09ft. 44inch lat.-ah

na atangin ramri chu khawthlang hawiin a kal a, kham ko, bul 92deg. 41ft. 30inch long. leh 24deg. 09ft. 43inch lat.-ah Pillar No. 16-na phun a ni. Pillar No. 16-na atangin ramri chu chhim lamah Lungko/khamko chung zelah a kal a, 92deg. 41ft. 33inch long. leh 24deg. 09ft. 12inch lat.-ah Agriculture Research Farm chhung muat dungah Pillar No. 17-na phun a ni. Pillar No. 17-na atang hian ramri chu chhim chhak hawiin a kal a, 92deg. 41ft. 46inch long. leh 24deg. 09ft. 01inch lat.-ah Pillar No. 18-na phun a ni. Pillar No. 18-na atang hian ramri chu chhimthlang hawiin a chbuk leh a, kawrte pahnh Dawnglun an finnaah Pillar No. 19-na phun a ni. He Pillar hi 92deg. 41ft. 37inch long. leh 24deg. 08ft. 39inch lat. a ni. Pillar No. 19-na atangin ramri chu chhim lamah a chhova, 92deg. 41ft. 38inch long. leh 24deg. 8ft. 29inch lat. tlang bawkah Pillar No. 20-na phun a ni. Pillar No. 20-na atangin ramri chu chhimthlang lamah Tuichhuahen lui tan tlangin a kal a, Sethawn khaw hmar thlang lam khamko bul 92deg. 41ft. 31inch long. leh 24deg. 7ft. 38inch lat.-ah Pillar No. 21-na phun a ni. Pillar No. 21-na atangin ramri chu chhim thlang lamah a kal a, Bualzawhni hnar kil tlang baw Coffee huan, Kawnpui Sub-Town chinah Pillar No. 22-na phun a ni. He Pillar hi 92deg. 41ft. 29inch long. leh 24deg. 6ft. 46inch lat. a ni.

CHHIMLAM : Pillar No. 22-na atangin ramri chhimchhak lamah Kawnpui Sub-Town area ri zelin N.H. No. 54 tan tlangin a kal a, N.H. No. 54 khawchhak lam tlang baw 92 deg. 41'35" long. leh 24 deg. 6'34" lat.-ah Pillar No. 23-na phun a ni.

KHAWCHHAK LAM : Pillar No. 23 atangin ramri chu hmarchhak hawiin a kal a, kawr leh kawr inkar tlang baw sang tai berah Pillar No. 24-na phun a ni. He Pillar hi 92°41'51" long. leh 24°70'80" lat. a ni. Pillar No. 24 atangin ramri chu hmarchhak hawiin a kal a, 92°42'08" long. leh 24°07'59" lat. khamko chungah Pillar No. 25-na phun a ni. Pillar No. 25-na atang hian ramri chu hmarchhak hawiin chembolui lam panin a kal a, Tamtal kawr chhimchhak lam tlang baw chembolui chhim lamah Pillar No. 26-na phun a ni. He Pillar hi 92°42'26" long. leh 24°08'29" lat. ah phun a ni. Pillar No. 26-na atang hian ramri chu hmarthlang lam hawiin chembolui tan tlangin a kal a. Agriculture Research Farm channa R.C.C. Tuikhur bulah Pillar No. 27-na phun a ni. He Pillar hi 92°42'02" long leh 24°08'59" lat. a ni. Pillar No. 27-na atangin ramri chu hmarthlang hawiin chhuahlam lui hnanan Chalkawn lam panin a kal a, Chawadaw lui hnar kawrte hnar Chalkawn bulah Pillar No. 28-na phun a ni. He Pillar hi 92°41'54" long. leh 24°09'32" lat. a ni. Pillar 28-na atang hian ramri chu hmarchhak lam hawiin a kal a, Zamlana huan kawr Footpath bulah Pillar No. 29-na phun a ni. He Pillar hi 92°42'18" long. leh 24°10'08" lat. a ni. Pillar No. 29-na atangin ramri chu hmarthlang hawiin a kal a, Thingdawl khawchhuah lama

Thanghnem lui hnarah Pillar No. 30-na phun a ni. He Pillar hi 92°42'08" long. leh 24°10'16" lat. a ni. Pillar No. 30-na atangin ramri chu hmarthlang hawin a kal a, NH 54 atanga 200m vel a hla Thingdawl to Builum kawngah Pillar No. 31-na phun a ni a, he Pillar hi 92°42'08" long leh 24°10'57" lat. a ni. Pillar No. 31 atangin ramri chu hmarthlang hawin a kal a, 92°41'46" long. leh 24°11'37" lat. ah Pillar No. 32-na phun a ni. Pillar 32-na atang hian ramri chu khaw hmar lam 50m vela hla-ah Pillar No. 33-na phun a ni a. He Pillar hi 92°42'10" long. leh 24°11'38" lat. a ni. Pillar No. 33 atang hian ramri chu hmar lam hawin a kal a, Coffee Garden hnua ramri lui fintu kawrte pahnih inkar 92°42'04" long. leh 24°12'21" lat. ah Pillar No. 34-na phun a ni. Pillar No. 34 na atang hian ramri chu hmar lam hawin a kal a, Khuangpuilam khaw hui atanga khawchhak lam Zotui lui leh Tuidam lui infrana atanga 1/2 Km (H) vela hla Tuidam lui kamah Pillar No. 35-na phun a ni. He Pillar hi 92°42'01" long. leh 24°12'34" lat. a ni. Pillar No. 35-na atang hian ramri chu hmarthlang lam hawin a kal a, Bung lui ziding ber leh a fintu kawrte inkarah Pillar No. 36-na phun a ni. He Pillar hi 92°41'45" long. leh 24°13'00" lat. a ni.

Pillar No. 36-na atang hian ramri chu hmarthlang hret hawin Bunglui zawh thla zelin a chhuk a, Bangla lui non a infinna ah Pillar No. 37-na phun a ni. He Pillar hi 92°41'55" long leh 24°13'37" lat. a ni. Pillar No 37 atang hian ramri chu Bangla lui zawh thla zelin a chhuk a, hmar lam atanga rawn fintu kawr te pahnih inkarah Pillar No. 38-na phun a ni. He Pillar hi 92°42'07" long. leh 24°13'43" lat. a ni. Pillar No. 38-na atangin ramri chu hmar lam chiah hawin kawrte dung zawh chho zelin Builum kawng kal tlangin a chho va, Kawrte hnar kil tlang bawh bulah Pillar No. 39-na phun a ni. He Pillar hi 92°42'10" long. leh 24°14'12" lat. a ni. Pillar No. 39-na atang hian ramri chu hmarthlang lam hawin a kal a, Rengte lui kam 92°41'59" long. leh 24°14'50" lat. ah Pillar No. 40-na phun a ni. Pillar No. 40 atang hian ramri chu hmar thlang lamah Rengte lui zawh chho zela kalin Pillar No. 1-na Starting Point chu a han man leh ta chiah a ni.

Surveyed By :—

Checked By :—

Dawngkima,

V. Lianzinga,

Asstt. Director of Survey, (T)

Asstt. Director of Survey,

Land Revenue and Settlement,

Land Revenue and Settlement,

Mizoram : Aizawl.

Mizoram : Aizawl.

BOUNDARY DESCRIPTION OF KOLASIB TOWN

Area — 24812500 Sqm
2481.25 Ha.
24.81 sq.Km.

STARTING POINT : Boundary Pillar No. 1 is fixed at about 150m (H) East of NH. No. 54 and about 400m(H) South of Rengte Tlang. The point located at 92deg. 41ft. 47inch long. and 24deg. 15ft. 16inch lat. is used for starting point of Kolasib Town Area Boundary Line Measurement.

NORTHERN SIDE : The Boundary Line runs down from BP No. 1 towards West across NH. No. 54 along the tributary stream of Rengte Lui and Pillar No. 2 is fixed at the junction of Rengte Lui which is 92deg. 41ft. 21inch long. and 24deg. 15ft. 12inch lat. From Pillar No. 2 boundary line runs down in the direction of N.W. along Rengte Lui and Pillar No. 3 is fixed at 92deg. 41ft. 16inch long. 24deg. 15ft. 21inch. lat. From Pillar No. 3 boundary line runs in the direction of S.W. and Pillar No. 4 is fixed on the road edge of Rengte Kawn to Bairabi Truck Road which is about 1/2 KM. North of Saidan Tlang at 92deg. 49ft. 49 inch long. and 24deg. 15ft. 11inch lat.

WESTERN SIDE : From Pillar No. 4 boundary line runs through the cliff western edge of Saidan Tlang and Pillar No. 5 is fixed at 92deg. 40ft. 30inch long. and 24deg. 14ft. 29inch lat. From Pillar No. 5 boundary line runs in the direction of S.W. and Pillar No. 6 is fixed at Bungkawn on the Foot Path of Sakawzin in the western side of Tumpui Veng which is fixed at 92deg. 40ft. 14inch and 24deg. 13ft. 54inch lat. From Pillar No. 6 boundary line runs in the direction of South across the Mangkhawnglai and Pillar No. 7 is fixed at 92deg. 40ft. 47inch long. and 24deg. 13ft. 19inch lat. Below Project Veng. From Pillar No. 7 the boundary line runs in the direction of due South across Tuilut Lui and the Pillar No. 8 is fixed

side of Tuilut which is 92deg. 40ft. 13inch long. and 24deg. 12ft. 30inch lat. From Pillar No. 8 the boundary line runs in the direction of South East and Pillar No. 9 is fixed at the junction of Lungdawn Lui with its main tributary which is 92deg. 40ft. 47inch long. and 24deg. 11ft. 44inch lat. From Pillar No.

the Stream and the Pillar No. 10 is fixed on the western side of NH. No. 54 which is 92deg. 42ft. 37inch long. and 24deg. 11ft. 35inch lat. From Pillar No. 10 the Boundary line runs on the direction of Southern side parallel to NH. 54 and the Pillar No. 11 is fixed at 92deg. 41ft. 51inch long. and 24deg. 11ft. 01inch lat. From Pillar 11 Boundary line runs in the direction of West and the Pillar No. 12 is fixed at the sources of 'Thingdawl Daitnuai Lui' near the Cliff which is 92deg

No. 12 the Boundary line runs in the direction of South West and Pillar No. 13 is fixed at the sources of Stream at Mawntawk Zawi, which is 92deg. 41ft. 30inch long. and 24deg. 10ft. 52inch lat. From Pillar No. 13 the Boundary line runs in the direction of South East Pillar No. 14 is fixed at about 170m West of NH. No. 54 near Middle School runs which is 92deg. 42ft. 44inch long. and 24deg. 10ft. 29ft. lat. From Pillar No. 14 Boundary line runs in the direction of South through the saddle of Boundary line between Pa Malawma and

P. Lianhleia below the small top of High School and Pillar No. 15 is fixed on the North West of Vety. Quarter which is 92deg. 41ft. 43inch long. and 24deg. 09inch 44inch lat. From Pillar No. 15 the Boundary line runs in the direction of West Pillar No. 16 is fixed near the Cliff at 92deg. 41ft. 30inch long. and 24deg. 09ft. 43inch lat. From Pillar No. 16 the boundary line runs in the direction of South along the Cliff and Pillar No. 17 is fixed inside Agriculture Reserved Farm at 92deg. 41ft. 33inch long. and 24deg. 09ft. 12inch lat. From pillar No. 17 the boundary line runs in the direction of South East Pillar No. 18 is fixed at 92°41'46" long. and 24°09'01" lat. From Pillar No. 18 boundary line runs in the direction of South West Pillar No. 19 is fixed at Dawnglui which is 92deg. 41ft. 37inch long. and 24deg. 03ft. 39inch long. From Pillar No. 19 boundary line runs in the direction of South and Pillar No. 20 is fixed at 92deg. 41ft. 33inch long. and 24deg. 03ft. 29inch lat. On the Hill lock. From Pillar No. 20 the Boundary lines runs in the South Western side across Tuichhuahen River, Pillar No. 21 is fixed at 92deg. 41ft. 31inch long. and 24deg. 07ft. 38inch lat. Which is North Western side of Sethawn Village on the Cliff. From Pillar No. 21 boundary line runs in the direction of South Western side Pillar No. 22 is fixed at Hill Lock (small top) on the sources of Bualzawl River inside Coffee Garden boundary of Kawnpui Sub-Town area which is 92deg. 41ft. 25inch long. and 24deg. 06ft. 46inch lat.

SOUTHERN SIDE : From Pillar No. 22 the boundary line runs in the direction of South East along the boundary line of Kawnpui Sub-Town across NH. No. 54 boundary Pillar No. 23 fixed at 92deg. 42ft. 35inch long. and 24deg. 06ft. 34inch lat. On shall top in the East side of NH. No. 54.

EASTERN SIDE : From Pillar No. 23 the boundary line runs in the direction of N. E. and Pillar No. 24 is fixed between Stream on the highest Top of elevated portion at 92deg. 41ft. 51inch long. and 24deg. 07inch 0ft. 80inch lat. From Pillar No. 24 the boundary line runs in the direction of N. E. and Pillar No. 25 is fixed on the Cliff at 92deg. 42ft. 08inch long. and 24deg. 07ft. 59inch lat. From Pillar No. 25 the boundary line runs again in the direction of N. E. towards Chembo River Pillar No. 26 is fixed at the South East of 'Tamtalkawn' 92deg. 42'26" long. and 24deg. 08'29" lat. From Pillar No. 26 the boundary line runs in the North Western side across the River of Chamber Pillar No. 27 is fixed near the RCC Fountain inside Agriculture Research Farm at 92deg. 42'04" long and 24deg. 08'59" lat. From Pillar No. 27 the boundary line runs in the direction of North Western side on the sources of Chhuahlam River and Pillar No. 28 is fixed near Chalkawn which is the source of small stream which is tributary of Chhuahlam River at 92deg. 41'54" long. and 24deg. 09'32" lat. From Pillar No. 28 the Boundary line runs in the direction of North East Pillar No. 29 is fixed at the saddle of Zamhana's Garden on Foot Path which is 92deg. 42'18" long. and 24deg. 10'08" lat. From Pillar No. 29 boundary line, runs in the direction of North West Pillar No. 30 is fixed at he sources of Thangnema's Luf of Thingawl which is 92deg. 42'08" long and 24deg. 10'16" lat. From Pillar No. 31 boundary line runs in the direction of North West Pillar No. 31 is fixed on the Road side of Thingawl to Bulum about 200m East of N.H. No. 54 which is 92deg. 42'08" long. and 24deg. 10'57" lat. From Pillar No. 31 the boundary line runs in the direction of North West and Pillar No. 32 is fixed at 92deg. 41'46" long. and 24deg. 11'37" lat. From Pillar No. 32 the boundary

line runs in the direction of East Pillar No. 33 is fixed on Ramri Lui about 50m 'N' of stream junction which is 92deg. 42'10" 24deg. 11' 38" lat. From Pillar No. 33 boundary line runs in the direction of North Pillar No. 34 is fixed between two Stream below Coffee Garden which is 92deg. 42'04" long. and 24deg. 12'21" lat. From Pillar No. 34 Boundary line runs in the direction of North Pillar No. 35 is fixed at Tuidunlui about 1/2 KM(±) West of River Junction with Zotui Lui which is about 92deg. 42'01" long and 24deg. 12'34" lat. From Pillar No. 35 boundary line runs in the direction of North West and Pillar No. 36 is fixed at the junction of Bunglui and small Stream which is 92deg. 41ft. 45inch long. and 24deg. 13ft. 00inch lat. From Pillar No. 36 the Boundary line runs down in the direction of North East along the Bunglui Stream Pillar No. 37 is fixed at the River junction between Bunglui and Bangla Lui which is 92deg. 41ft. 55inch long. and 24deg. 13ft. 37inch lat. From Pillar No. 37 Boundary line runs down in the direction of North East along Bangla Lui, Pillar No. 38 is fixed at between two Stream flows from North which is 92deg. 42ft. 07inch long. and 24deg. 13inch 42inch lat. From Pillar No. 38 the Boundary line runs up in the direction of North along the stream through Builum Jeep Road Pillar No. 39 is fixed at the sources of Stream Western side of small Hill top which is 92deg. 42ft. 10inch long. and 24deg. 14ft. 12inch lat. From Pillar No. 39 the Boundary line runs in the direction of North West Pillar No. 40 is fixed at the edge of Rengte Lui which is 92deg. 41ft. 59inch long. and 24ft. deg. 14ft. 50inch lat. From Pillar No. 40 the boundary line runs up in the direction of North West along the Rengte Lui upto starting point Pillar No. 1.

Surveyed by :—

Checked by :—

C. Dawngkima,
Asst. Director of Survey (T)
Land Revenue and Settlement,
Mizoram, Aizawl.

V. Lianzinga,
Asst. Director of Survey (A)
Land Revenue and Settlement,
Mizoram, Aizawl.